





EAST - [10688556.wsp:1]

FileViewEditToolsWindowHelp

Drafts

Pending

Active

Failed

Saved

L1: (194217) "348"/\$.ccls. or "725"/\$.ccls. or "455"/\$.ccls.

L2: (1294) L1 and (("radio frequency" or RF) near2 tuner)

L3: (741) L2 and (analog and digital)

L4: (72) L3 and "quadrature signal"

L5: (9) L4 and ((analog or digital) near5 demodulator)

L6: (0) 5 and "aliasing frequency"

L7: (6) L3 and "quadrature signal".clm.

L8: (0) 5 and "aliasing frequency".clm.

S2: (1143) S1 and (("radio frequency" or RF) near2 tuner)

S4: (1) S3 and "dual analog digital converter"

S1: (160177) "348"/\$.ccls. or "725"/\$.ccls. or "455"/\$.ccls.

S6: (1) S3 and "digital quadrature signal"

S3: (650) S2 and (analog and digital)

S5: (62) S3 and "quadrature signal"

S7: (5) S5 and (digital near5 "quadrature signal")

S13: (3) S5 and "anti alias filter"

SearchListBrowseQueryClear

DBsUS-PGPUB

Default operator:OR

☒ Burels

☒ Highlight all hit terms initially

5 and "aliasing frequency".clm.

BRS formIS&R formImageTextHTML

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current	Ret	Inventor

HitsDetailsHTML

Ready

NUM